



DIABETES PREDICTION USING MACHINE LEARNING

Anuja Mhase, Sankalp Suryawanshi, Tushar Vaishnav Prof. Laxmikant Malphedwar

Dept of Computer Engineering, DY Patil School of Engineering Academy, Savitribai Phule Pune University, Pune, Maharashtra, India.

ABSTRACT:

Diabetes is a chronic disease with the potential to cause a worldwide health care crisis. According to International Diabetes Federation 382 million people are living with diabetes across the whole world. By 2035, this will be doubled as 592 million. Diabetes is a disease caused due to the increase level of blood glucose. This high blood glucose produces the symptoms of frequent urination, increased thirst, and increased hunger. Diabetes is a one of the leading cause of blindness, kidney failure, amputations, heart failure and stroke. When we eat, our body turns food into sugars, or glucose. At that point, our pancreas is supposed to release insulin. Insulin serves as a key to open our cells, to allow the glucose to enter and allow us to use the glucose for energy. But with diabetes, this system does not work. Type 1 and type 2 diabetes are the most common forms of the disease, but there are also other kinds, such as gestational diabetes, which occurs during pregnancy, as well as other forms. Machine learning is an emerging scientific field in data science dealing with the ways in which machines learn from experience. The aim of this project is to develop a system which can perform early prediction of diabetes for a patient with a higher accuracy by combining the results of different machine learning techniques. The algorithms like K nearest neighbour, Logistic Regression, Random Forest, Support vector machine and Decision tree are used. The accuracy of the model using each of the algorithms is calculated. Then the one with a good accuracy is taken as the model for predicting the diabetes.

Keywords: Machine Learning, Diabetes, Decision tree, K nearest neighbour, Logistic Regression, Support vector Machine, Accuracy.

I. Introduction:

Diabetes is the fast growing disease among the people even among the youngsters. In understanding diabetes and how it develops, we need to understand what happens in the body without diabetes. Sugar (glucose) comes from the foods that we eat, specifically carbohydrate foods. Carbohydrate foods provide our body with its main energy source everybody, even those people with diabetes, needs carbohydrate. Carbohydrate foods include bread, cereal, pasta, rice, fruit, dairy products and vegetables (especially starchy vegetables). When we eat these foods, the body breaks them down into glucose. The glucose moves around the body in the bloodstream. Some of the glucose is taken to our brain to help us think clearly and function. The remainder of the glucose is taken to the cells of our body for energy and also to our liver, where it is stored as energy that is used later by the body. In order for the body to use glucose for energy, insulin is required. Insulin is a hormone that is produced by the beta cells in the pancreas. Insulin works like a key to a door. Insulin attaches itself to doors on the cell, opening the door to allow glucose to move from the blood stream, through the door, and into the cell. If the pancreas is not able to produce enough insulin (insulin deficiency) or if the body cannot use the insulin it produces (insulin resistance), glucose builds up in the bloodstream (hyperglycaemia) and diabetes develops. Diabetes Mellitus means high levels of sugar (glucose) in the blood stream and in the urine.

Types of Diabetes

Type 1 diabetes means that the immune system is compromised and the cells fail to produce insulin in sufficient amounts. There are no eloquent studies that prove the causes of type 1 diabetes and there are currently no known methods of prevention.

Type 2 diabetes means that the cells produce a low quantity of insulin or the body can't use the insulin correctly. This is the most common type of diabetes, thus affecting 90% of persons diagnosed with diabetes. It is caused by both genetic factors and the manner of living.

Gestational diabetes appears in pregnant women who suddenly develop high blood sugar. In two thirds of the cases, it will reappear during subsequent pregnancies. There is a great chance that type 1 or type 2 diabetes will occur after a pregnancy affected by gestational diabetes.

Symptoms of Diabetes

- Frequent Urination
- Increased thirst
- Tired/Sleepiness
- Weight loss
- Blurred vision
- Mood swings
- Confusion and difficulty concentrating
- frequent infections

Causes of Diabetes

Genetic factors are the main cause of diabetes. It is caused by at least two mutant genes in the chromosome 6, the chromosome that affects the response of the body to various antigens. Viral infection may also influence the occurrence of type 1 and type 2 diabetes. Studies have shown that infection with viruses such as rubella, Coxsackievirus, mumps, hepatitis B virus, and cytomegalovirus increase the risk of developing diabetes.

II. Literature Survey:

Yasodha et al. [1] uses the classification on diverse types of datasets that can be accomplished to decide if a person is diabetic or not. The diabetic patient's data set is established by gathering data from hospital warehouse which contains two hundred instances with nine attributes. These instances of this dataset are referring to two groups i.e. blood tests and urine tests. In this study the implementation can be done by using WEKA to classify the data and the data is assessed by means of 10-fold cross validation approach, as it performs very well on small datasets, and the outcomes are compared. The naïve Bayes, J48, REP Tree and Random Tree are used. It was concluded that J48 works best showing an accuracy of 60.2% among others. Aiswarya et al. [2] aims to discover solutions to detect the diabetes by investigating and examining the patterns originate in the data via classification analysis by using Decision Tree and Naïve Bayes algorithms. The research hopes to propose a faster and more efficient method of identifying the disease that will help in well-timed cure of the patients. Using PIMA dataset and cross validation approach the study concluded that J48 algorithm gives an accuracy rate of 74.8% while the naïve Bayes gives an accuracy of 79.5% by using 70:30 split. Gupta et al. [3] aims to find and calculate the accuracy, sensitivity and specificity percentage of numerous classification methods and also tried to compare and analyse the results of several classification methods in WEKA, the study compares the performance of same classifiers when implemented on some other tools which includes Rapidminer and Matlab using the same parameters (i.e. accuracy, sensitivity and specificity). They applied JRIP, Jgrapt and BayesNet algorithms. The result shows that Jgrapt shows highest accuracy i.e 81.3%, sensitivity is 59.7% and specificity is 81.4%. It was also concluded that WEKA works best than Matlab and Rapidminer. Lee et al. [4] focus on applying a decision tree algorithm named as CART on the diabetes dataset after applying the resample filter over the data. The author emphasis on the class imbalance problem and the need to handle this problem before applying any algorithm to achieve better accuracy rates. The class imbalance is a mostly occur in a dataset having dichotomous values, which means that the class variable have two possible outcomes and can be handled easily if observed earlier in data preprocessing stage and will help in boosting the accuracy of the predictive model.

III. Proposed System:

Problem Statement:

- Doctors rely on common knowledge for treatment. When common knowledge is lacking, studies are summarized after some number of cases have been studied. But this process takes time, whereas if machine learning is used, the patterns can be identified earlier.
- For using machine learning, a huge amount of data is required. There is very limited amount of data available depending on the disease. Also, the number of samples having no diseases is very high compared to number of samples actually having the disease.
- The proposed system study is classification of Indian PIMA dataset for diabetes as binary classification problem.
- This is proposed to achieve through machine learning and deep learning classification algorithm.
- For machine learning, SVM algorithm is proposed

- For deep learning Neural network is used.
- The proposed system improves accuracy of prediction through deep learning techniques.

Objectives:

- The objective of the study is classify Indian PIMA dataset for diabetes.
- This is proposed to achieve through machine learning and deep learning classification algorithm.
- Classification is considered as our data mining problem, in which SVM algorithm is proposed to use as machine learning part.
- Neural network is used for deep learning part.
- Our objective is to design an interactive application, in which user can give a single input to arrive the prediction.

Algorithm:

Support Vector Machine: This classifier aims at forming a hyper plane that can separate the classes as much as possible by adjusting the distance between the data points and the hyper plane. There are several kernels based on which the hyper plane is decided. I tried four kernels namely, linear, poly, rbf, and sigmoid.

IV. Conclusion:

One of the important real-world medical problems is the detection of diabetes at its early stage. In this study, systematic efforts are made in designing a system which results in the prediction of diabetes. During this work, five machine learning classification algorithms are studied and evaluated on various measures. Experiments are performed on john Diabetes Database. Experimental results determine the adequacy of the designed system with an achieved accuracy of 99% using Decision Tree algorithm. In future, the designed system with the used machine learning classification algorithms can be used to predict or diagnose other diseases. The work can be extended and improved for the automation of diabetes analysis including some other machine learning algorithms.

V. References:

- [1]. Aljumah, A.A., Ahamad, M.G., Siddiqui, M.K., 2013. Application of data mining: Diabetes health care in young and old patients. *Journal of King Saud University - Computer and Information Sciences* 25, 127–136. doi:10.1016/j.jksuci.2012.10.003.
- [2]. Arora, R., Suman, 2012. Comparative Analysis of Classification Algorithms on Different Datasets using WEKA. *International Journal of Computer Applications* 54, 21–25. doi:10.5120/8626-2492.
- [3]. Bamnote, M.P., G.R., 2014. Design of Classifier for Detection of Diabetes Mellitus Using Genetic Programming. *Advances in Intelligent Systems and Computing* 1, 763–770. doi:10.1007/978-3-319-11933-5.
- [4]. Choubey, D.K., Paul, S., Kumar, S., Kumar, S., 2017. Classification of Pima indian diabetes dataset using naive bayes with genetic algorithm as an attribute selection, in: *Communication and Computing Systems: Proceedings of the International Conference on Communication and Computing System (ICCS 2016)*, pp. 451–455.
- [5]. Dhomse Kanchan B., M.K.M., 2016. Study of Machine Learning Algorithms for Special Disease Prediction using Principal of Component Analysis, in: *2016 International Conference on Global Trends in Signal Processing, Information Computing and Communication*, IEEE. pp. 5–10.
- [6]. Sharief, A.A., Sheta, A., 2014. Developing a Mathematical Model to Detect Diabetes Using Multigene Genetic Programming. *International Journal of Advanced Research in Artificial Intelligence (IJARAI)* 3, 54–59. doi:doi:10.14569/IJARAI.2014.031007.
- [7]. Sisodia, D., Shrivastava, S.K., Jain, R.C., 2010. ISVM for face recognition. *Proceedings - 2010 International Conference on Computational Intelligence and Communication Networks, CICN 2010* , 554–559doi:10.1109/CICN.2010.109.
- [8]. Sisodia, D., Singh, L., Sisodia, S., 2014. Fast and Accurate Face Recognition Using SVM and DCT, in: *Proceedings of the Second International Conference on Soft Computing for Problem Solving (SocProS 2012)*, December 28-30, 2012, Springer. pp. 1027–1038.
- [9]. <https://www.kaggle.com/johndasilva/diabetes>
- [10]. Rani, A. S., & Jyothi, S. (2016, March). Performance analysis of classification algorithms under different datasets. In *Computing for Sustainable Global Development (INDIACom), 2016 3rd International Conference on* (pp. 1584- 1589). IEEE.